

RECEIVED

APR 26 2004

[Signature]

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPL NO.	FILING OR 371 (c) DATE	ART UNIT	FIL FEE REC'D	ATTY. DOCKET NO	DRAWINGS	TOT CLMS	IND CLMS
10/759,493	01/15/2004	3643	619	DRP1100	17	46	3

28213

GRAY CARY WARE & FREIDENRICH LLP
4365 EXECUTIVE DRIVE
SUITE 1100
SAN DIEGO, CA 92121-2133



CONFIRMATION NO. 7672

FILING RECEIPT



OC000000012425584

Date Mailed: 04/22/2004

Receipt is acknowledged of this regular Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Office of Initial Patent Examination's Filing Receipt Corrections, facsimile number 703-746-9195. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

Applicant(s)

James Urban, Annapolis, MD;
Albert L. Key, New York, NY;
Charles Julian Ray, San Francisco, CA;
Charles Graham Ray, San Francisco, CA;
Michael James, Vancouver, CANADA;

Assignment For Published Patent Application

Deep Root Partners, L.P., San Francisco, CA;

Domestic Priority data as claimed by applicant

URBAN ROOT L.L.C.

Foreign Applications

If Required, Foreign Filing License Granted: 04/22/2004

Projected Publication Date: To Be Determined - pending completion of Missing Parts

Non-Publication Request: No

Early Publication Request: No

** SMALL ENTITY **

Title

Integrated tree root and storm water system

Preliminary Class

047

**LICENSE FOR FOREIGN FILING UNDER
Title 35, United States Code, Section 184
Title 37, Code of Federal Regulations, 5.11 & 5.15**

GRANTED

The applicant has been granted a license under 35 U.S.C. 184, if the phrase "IF REQUIRED, FOREIGN FILING LICENSE GRANTED" followed by a date appears on this form. Such licenses are issued in all applications where the conditions for issuance of a license have been met, regardless of whether or not a license may be required as set forth in 37 CFR 5.15. The scope and limitations of this license are set forth in 37 CFR 5.15(a) unless an earlier license has been issued under 37 CFR 5.15(b). The license is subject to revocation upon written notification. The date indicated is the effective date of the license, unless an earlier license of similar scope has been granted under 37 CFR 5.13 or 5.14.

This license is to be retained by the licensee and may be used at any time on or after the effective date thereof unless it is revoked. This license is automatically transferred to any related applications(s) filed under 37 CFR 1.53(d). This license is not retroactive.

The grant of a license does not in any way lessen the responsibility of a licensee for the security of the subject matter as imposed by any Government contract or the provisions of existing laws relating to espionage and the national security or the export of technical data. Licensees should apprise themselves of current regulations especially with respect to certain countries, of other agencies, particularly the Office of Defense Trade Controls, Department of State (with respect to Arms, Munitions and Implements of War (22 CFR 121-128)); the Office of Export Administration, Department of Commerce (15 CFR 370.10 (j)); the Office of Foreign Assets Control, Department of Treasury (31 CFR Parts 500+) and the Department of Energy.

NOT GRANTED

No license under 35 U.S.C. 184 has been granted at this time, if the phrase "IF REQUIRED, FOREIGN FILING LICENSE GRANTED" DOES NOT appear on this form. Applicant may still petition for a license under 37 CFR 5.12, if a license is desired before the expiration of 6 months from the filing date of the application. If 6 months has lapsed from the filing date of this application and the licensee has not received any indication of a secrecy order under 35 U.S.C. 184, the licensee may foreign file the application pursuant to 37 CFR 5.15(b).



PATENT
Attorney Docket No. DRP1100

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: James Urban et al.
Serial No.: 10/759,493
Filed: January 15, 2004
Title:

Art Unit:
Examiner To be assigned

INTEGRATED TREE ROOT AND STORM WATER SYSTEM

Commissioner for Patents
Office of Initial Patent Examination
Customer Service Center
P.O. Box 1450
Alexandria, VA 22313-1450

TRANSMITTAL LETTER

Sir:

Transmitted herewith for filing in connection with the above-identified patent application, please find the following:

- (1) Request for Corrected Filing Receipt (2 pgs);
- (2) Copy of Filing Receipt reflecting changes (2 pgs);
- (3) Copy of CORRECTED application Data Sheet (4 pgs); and
- (4) Return postcard.

CERTIFICATION UNDER 37 CFR §1.8

I hereby certify that the documents referred to as enclosed herein are being deposited with the United States Postal Service as first class mail on July 28, 2004, in an envelope addressed to:
Commissioner for Patents, Office of Initial Patent Examination, Customer Service Center, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Robert Wickman

In re Application of:
Urban et al.
Application No.: 10/759,493
Filing Date: January 15, 2004
Page 2


PATENT
Attorney Docket No.: DRP1100

No fee is deemed necessary in connection with the filing of this paper. However, if a fee is required, the Commissioner is hereby authorized to charge any other fees associated with the filing submitted herewith, or credit any overpayments to Deposit Account No. 50-1355. A duplicate copy of this sheet is enclosed.

Respectfully submitted,

Date:


7/28/04



Michael R. Shevlin
Reg. No. 38,724
Telephone: (858) 638-6663
Facsimile: (858) 638-6727

GRAY CARY WARE & FREIDENRICH LLP
4365 Executive Drive, Suite 1100
San Diego, California 92121-2133

USPTO CUSTOMER NUMBER 28213



PATENT
Attorney Docket No.: DRP1100

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: James Urban et al.

Art Unit:

Serial No.: 10/759,493

Examiner To be assigned

Filed: January 15, 2004

Title: **INTEGRATED TREE ROOT AND STORM WATER SYSTEM**

Commissioner for Patents
Office of Initial Patent Examination
Customer Service Center
P.O. Box 1450
Alexandria, VA 22313-1450

REQUEST FOR CORRECTION OF FILING RECEIPT

Sir:


This Communication is submitted to request correction of the filing receipt in reference to the above-identified application. The data requiring correction is indicated in yellow highlight on the attached copy of the filing receipt and herein in **BOLD**.

Please change the **Assignment For Published Patent Application** section as follows:

URBAN ROOT L.L.C.

CERTIFICATION UNDER 37 CFR §1.8

I hereby certify that the documents referred to as enclosed herein are being deposited with the United States Postal Service as first class mail on July 28, 2004, in an envelope addressed to: Initial Patent Examination, Customer Service Center, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450


Robert Wickman

In re Application of:
Urban et al.
Application No.: 10/759,493
Filing Date: January 15, 2004
Page 2


PATENT
Attorney Docket No.: DRP1100

Applicants accordingly request the correction be made of record and a corrected filing receipt be issued.

Respectfully submitted,

Date:

7/28/2004



Michael R. Shevlin
Reg. No. 38,724
Telephone: (858) 638-6663
Facsimile: (858) 638-6727

GRAY CARY WARE & FREIDENRICH LLP
4365 Executive Drive, Suite 1100
San Diego, California 92121-2133

USPTO CUSTOMER NUMBER 28213